Foam-Control® *CLIMATE*™ Exterior Sheathing

Superior air blocking, moisture resistance, and stable R-Value to protect your insulation integrity.

Foam-Control CLIMATE film-faced insulation is a cost-effective, durable, and energy efficient solution for insulated sheathing applications. It is an ideal material to provide a code compliant air and weather resistant barrier and reduce energy loss through framing members.

Advantages.

- Film-faced for toughness
- Air Barrier
- Weather Resistive Barrier
- Superior moisture resistance
- Low water vapor permeability
- No CFC, HCFC, HFC, or formaldehyde
- No long-term R-value loss or thermal drift

R-Value (Thermal Resistance) for CLIMATE 100.

R=3.9/inch at 75°F	Recommended for design in WARM climates
R=4.2/inch at 40°F	Recommended for design in COLD climates

R-value = R-value/inch x Thickness

Foam-Control CLIMATE is available in other types with higher R-values.

Thickness.

Foam-Control CLIMATE boards are available in a range of thicknesses up to 4" to meet your local energy code requirements.

Foam-Control CLIMATE is also available in a fanfold configuration in 3/8, 1/2, and 3/4 inch thicknesses.

Proven to meet, or exceed, building codes.

Foam-Control CLIMATE is manufactured to Quality Control Program standards monitored by UL and recognized by national building codes.

Foam-Control CLIMATE complies with Building Code requirements for:

- ASTM C578, Standard Specification for Rigid, Cellular Polystyrene Thermal Insulation
- ASTM E331, Standard Test Method for Water Penetration of Exterior Windows, Skylights, Doors, and Curtain Walls by Uniform Static Air Pressure Difference
- ASTM E2178, Standard Test Method for Air Permeance of Building Materials

FOAM CONTROL® EPS

CONTROL, NOT COMPROMISE.®

Foam face-off: Choosing Foam-Control CLIMATE over XPS and Polyiso.

- EPS can easily vary density, thickness, and size to meet project R-values
- EPS is less-expensive than XPS and ISO products
- No CFC, HCFC, HFC, or formaldehyde in Foam-Control EPS
- No long-term R-value loss or thermal drift

Foam-Control CLIMATE means control, not compromise.

Foam-Control CLIMATE insulation is engineered to give you the greatest possible control for your wall sheathing system applications: from design and timelines, to materials and costs, and—ultimately—control over your results.

In the building industry, Foam-Control CLIMATE insulation is among the most versatile, energy efficient, and cost effective insulators available, delivering extremely high, stable R-values. Depend on Foam-Control CLIMATE to do the job.

Ready to take control? Start here.

If you're starting to wonder how Foam-Control CLIMATE insulation can contribute to your next project, here's how to find out: Just contact your nearest Foam-Control CLIMATE manufacturer. They'll be happy to give you a design consultation, information about Foam-Control EPS insulation products, pricing, calculating insulation requirements and the answers to all your questions.

Foam-Control EPS products are manufactured by AFM Corporation licensees.

Copyright ©2013 AFM Corporation.
All rights reserved. Printed in USA.
Control, Not Compromise, Foam-Control, Foam-Control Climate and Perform Guard are trademarks of AFM Corporation, Lakeville, MN.

UL logo is a registered trademark of UL LLC

USGBC logo is a registered trademark of U.S. Green Building Council.

FC26-06/13

FOAM CONTROL® EPS

CONTROL, NOT COMPROMISE.®